

## 2017 Pony Creek Drill Results

Drill Hole	From (m)	To (m)	Au g/t	Interval (m)
PC17-04	28.96	32.00	0.19	3.05
and	108.20	118.87	0.19	10.67
and	195.07	199.65	0.24	4.57
PC17-05	138.69	155.45	0.40	16.76
Including	147.83	150.88	1.23	3.05
PC17-06	85.35	89.92	0.37	4.57
<b>PC17-07</b>	28.96	33.53	0.20	4.57
and	<b>44.20</b>	<b>123.45</b>	<b>0.78</b>	<b>79.25</b>
Including	<b>44.20</b>	<b>59.44</b>	<b>1.26</b>	<b>15.24</b>
and incl.	<b>71.63</b>	<b>80.77</b>	<b>1.72</b>	<b>9.14</b>
and incl.	<b>94.49</b>	<b>99.06</b>	<b>1.76</b>	<b>4.57</b>
<b>PC17-08</b>	35.05	38.10	0.31	3.05
and	121.92	126.49	0.16	4.57
and	<b>160.02</b>	<b>167.64</b>	<b>1.03</b>	<b>7.62</b>
Including	<b>160.02</b>	<b>166.12</b>	<b>1.25</b>	<b>6.10</b>
and	<b>196.60</b>	<b>207.27</b>	<b>0.87</b>	<b>10.67</b>
Including	196.60	201.17	1.80	4.57
<b>PC17-09</b>	45.72	50.29	0.39	4.57
and	<b>64.01</b>	<b>86.87</b>	<b>0.43</b>	<b>22.86</b>
and	<b>92.97</b>	<b>108.21</b>	<b>0.45</b>	<b>15.24</b>
including	<b>105.16</b>	<b>108.20</b>	<b>1.28</b>	<b>3.05</b>
and	<b>114.30</b>	<b>129.54</b>	<b>0.92</b>	<b>15.24</b>
including	<b>123.45</b>	<b>128.02</b>	<b>1.86</b>	<b>4.57</b>
and	<b>169.17</b>	<b>199.65</b>	<b>0.33</b>	<b>30.48</b>
<b>PC17-10</b>	41.15	47.24	0.25	6.10
and	<b>103.63</b>	<b>149.35</b>	<b>2.82</b>	<b>45.72</b>
including	<b>111.25</b>	<b>132.59</b>	<b>5.45</b>	<b>21.34</b>
and incl.	<b>111.25</b>	<b>117.35</b>	<b>10.53</b>	<b>6.10</b>
and incl.	<b>138.69</b>	<b>141.73</b>	<b>1.21</b>	<b>3.05</b>
and	160.02	167.64	0.18	7.62
and	178.31	185.93	0.25	7.62
<b>PC17-12</b>	<b>0.00</b>	<b>18.29</b>	<b>0.34</b>	<b>18.29</b>
<b>PC17-13</b>	<b>0.00</b>	<b>21.34</b>	<b>0.30</b>	<b>21.34</b>
<b>PC17-14</b>	<b>4.57</b>	<b>24.38</b>	<b>0.82</b>	<b>19.81</b>
including	<b>7.62</b>	<b>12.19</b>	<b>2.06</b>	<b>4.57</b>
<b>PCC17-024</b>	<b>116.89</b>	<b>160.63</b>	<b>1.36</b>	<b>43.74</b>
including	<b>125.03</b>	<b>140.58</b>	<b>3.35</b>	<b>15.55</b>

## 2017 Pony Creek Drill Results

<b>PC17-03</b>	<b>62.48</b>	<b>128.02</b>	<b>0.65</b>	<b>65.53</b>
Including	<b>67.06</b>	<b>85.35</b>	<b>1.48</b>	<b>18.29</b>
and	<b>184.41</b>	<b>202.69</b>	<b>0.33</b>	<b>18.29</b>
<b>PC17-02</b>	<b>70.1</b>	<b>80.77</b>	<b>0.49</b>	<b>10.67</b>
Including	<b>70.10</b>	<b>73.15</b>	<b>1.05</b>	<b>3.05</b>
and	106.68	115.83	0.26	9.14
<b>PC17-01</b>	41.15	53.34	0.26	12.19
and	<b>67.06</b>	<b>114.30</b>	<b>0.41</b>	<b>47.24</b>
Including	<b>82.30</b>	<b>85.35</b>	<b>1.10</b>	<b>3.05</b>
PC17-16	21.34	25.91	0.19	4.57
and	73.15	82.30	0.19	9.14
and	89.92	92.97	0.14	3.05
and	137.16	140.21	0.18	3.05
<b>PC17-17</b>	112.78	121.92	0.23	9.14
and	134.11	137.16	0.15	3.05
and	150.88	160.02	0.20	9.14
and	<b>181.36</b>	<b>228.60</b>	<b>0.61</b>	<b>47.24</b>
Including	<b>185.93</b>	<b>188.98</b>	<b>1.28</b>	<b>3.05</b>
and incl.	<b>222.51</b>	<b>227.08</b>	<b>2.20</b>	<b>4.57</b>
PC17-18	6.10	9.14	0.14	3.05
and	13.72	28.96	0.21	15.24
and	<b>57.91</b>	<b>77.72</b>	<b>0.24</b>	<b>19.81</b>
and	<b>97.54</b>	<b>115.83</b>	<b>0.30</b>	<b>18.29</b>
and	231.65	240.79	0.18	9.14
<b>PC17-19</b>	<b>92.97</b>	<b>102.11</b>	<b>0.52</b>	<b>9.14</b>
and	<b>149.35</b>	<b>153.93</b>	<b>1.75</b>	<b>4.57</b>
and	<b>160.02</b>	<b>166.12</b>	<b>3.95</b>	<b>6.10</b>
and	172.21	175.26	0.56	3.05
<b>PC17-23</b>	<b>30.48</b>	<b>44.20</b>	<b>0.32</b>	<b>13.72</b>
PC17-22	44.20	47.24	0.26	3.05
<b>PC17-25</b>	35.05	38.10	0.17	3.05
and	65.53	68.58	0.15	3.05
and	<b>71.63</b>	<b>85.35</b>	<b>0.33</b>	<b>13.72</b>
PC17-20	27.43	32.00	0.31	4.57
and	<b>64.01</b>	<b>68.58</b>	<b>0.72</b>	<b>4.57</b>
<b>PC17-21</b>	<b>12.19</b>	<b>19.81</b>	<b>0.28</b>	<b>7.62</b>
and	<b>25.91</b>	<b>70.10</b>	<b>0.34</b>	<b>44.20</b>
and	<b>100.59</b>	<b>108.21</b>	<b>0.18</b>	<b>7.62</b>
PC17-26	<b>25.91</b>	<b>35.05</b>	<b>0.33</b>	<b>9.14</b>

## 2017 Pony Creek Drill Results

	and	71.63	74.68	0.14	3.05
<b>PCC17-15</b>		<b>0.00</b>	<b>14.02</b>	<b>0.19</b>	<b>14.02</b>
	and	<b>108.36</b>	<b>114.76</b>	<b>0.43</b>	<b>6.40</b>
	and	132.28	146.61	0.20	14.33
<b>PCC17-11</b>		<b>109.42</b>	<b>128.02</b>	<b>0.26</b>	<b>18.59</b>
	and	<b>135.64</b>	<b>159.41</b>	<b>0.23</b>	<b>23.77</b>
	and	172.21	176.18	0.23	3.96
<b>PC17-29</b>		<b>51.82</b>	<b>60.96</b>	<b>0.32</b>	<b>9.14</b>
	and	70.10	96.01	0.18	25.91
	and	<b>102.11</b>	<b>117.35</b>	<b>0.48</b>	<b>15.24</b>
	and	<b>193.55</b>	<b>214.89</b>	<b>0.44</b>	<b>21.34</b>
	and	<b>220.98</b>	<b>243.84</b>	<b>0.37</b>	<b>22.86</b>
<b>PC17-30</b>		18.29	24.38	0.17	6.10
	and	38.10	41.15	0.18	3.05
	and	51.82	56.39	0.21	4.57
	and	<b>64.01</b>	<b>97.54</b>	<b>0.24</b>	<b>33.53</b>
	and	<b>143.26</b>	<b>147.83</b>	<b>0.37</b>	<b>4.57</b>
	and	160.02	163.07	0.25	3.05
	and	<b>207.27</b>	<b>236.22</b>	<b>0.22</b>	<b>28.96</b>
	and	254.51	257.56	0.16	3.05
PC17-31		140.21	143.26	0.22	3.05
PC17-32		83.82	86.87	0.14	3.05
PC17-33		35.05	47.24	0.17	12.19
<b>PC17-34</b>		<b>140.21</b>	<b>163.07</b>	<b>0.16</b>	<b>22.86</b>
PC17-35					NSI
PC17-36					Not Drilled
PC17-37		51.82	163.07	0.35	7.62
<b>PC17-38</b>		39.62	42.67	0.31	3.05
	and	<b>71.63</b>	<b>86.87</b>	<b>0.17</b>	<b>15.24</b>
	and	233.17	240.79	0.16	7.62
PC17-39					NSI
<b>PC17-040</b>		<b>64.01</b>	<b>86.87</b>	<b>2.12</b>	<b>22.86</b>
	including	<b>65.53</b>	<b>74.68</b>	<b>4.53</b>	<b>9.14</b>
PC17-41		15.24	18.29	0.25	3.05
	and	<b>25.91</b>	<b>57.91</b>	<b>0.59</b>	<b>32.00</b>
	and	102.11	106.68	0.15	4.57
PC17-42		50.29	53.34	0.22	3.05
	and	<b>60.96</b>	<b>70.10</b>	<b>1.06</b>	<b>9.14</b>
PC17-43		<b>4.57</b>	<b>19.81</b>	<b>0.33</b>	<b>15.24</b>

## 2017 Pony Creek Drill Results

and	47.24	50.29	0.15	3.05
and	126.49	141.73	0.17	15.24
PCC17-27				being sampled
<b>PCC17-28</b>	39.62	42.67	0.15	3.05
and	57.91	64.01	0.17	6.10
and	106.68	109.73	0.21	3.05
and	115.83	118.87	0.23	3.05
and	123.45	126.49	0.18	3.05
and	134.11	137.16	0.15	3.05
<b>and</b>	<b>199.65</b>	<b>205.74</b>	<b>1.88</b>	<b>6.10</b>

Drill intercepts were calculated using a minimum thickness of 3.05 metres averaging 0.14 ppm gold and allowing inclusion of up to 4.57 metres of material averaging less than 0.14 ppm gold for low grade intervals and higher grade intervals were calculated using a minimum thickness of 3.05 metres averaging 1.00 ppm gold and allowing inclusion of up to 4.57 metres of assays averaging less than 1.00 ppm gold. True width of drilled mineralization is unknown, but owing to the apparent flat lying nature of mineralization, is estimated to generally be at least 70% of drilled thickness.